



## The big, strong brother.



## HIGHLIGHT

Our new self-driver has an increased lifting power, but has retained the same maneuverability of the „little brother“, the Cleanmeleon 2.

### Technical data

GXV 340 with hydraulic		Vanguard 2 cylinder with hydraulic
GXV 340 Honda	Engine (petrol)	Briggs & Stratton Vanguard
82 dB	Volume	82 dB
6,6 kw	Power	11,9 kw
hydrostatic	Drive	hydrostatic
10 km/h	Speed	10 km/h
electric start	Start	electric start
with	Hydraulic	with
18 ltr. / min	Hydraulic power	18 ltr. / min
rear wheel steering	Steering	rear wheel steering
approx. 300 kg (additional weights possible as required)	Weight	approx. 300 kg (additional weights possible as required)
L = 1500 mm, B = 825 mm, H = 1130 mm	Size	L = 1500 mm, B = 825 mm, H = 1130 mm
5 mm galvanized	Chassis	5 mm galvanized
AS tires 16 x 6.50-8	Tires	AS tires 16 x 6.50-8
hydraulically	Lifting of attaching machines	hydraulically
possible	Lighting	possible
including operating hours counter	Accessories	including operating hours counter
radial brush, weed brush, axial sweeper, feed auger, spreader, lime and feed spreader, scraper, washer, pushing shield, snow plough	Mounting options	radial brush, weed brush, axial sweeper, feed auger, spreader, lime and feed spreader, scraper, washer, pushing shield, snow plough

(Technical data is approximate and non-binding.)

# ATTACHING MACHINES FOR CLEANMELEON 2 PRO

Radial brush R 1000



- working width: 1000 mm
- for sweeping large quantities of debris
- direction of rotation clockwise / counterclockwise adjustable
- bristle set quickly changeable over screws

Radial brush R 1000 (Draht)



- working width: 1000 mm
- wire brush
- excellent and sustainable green removal on a fixed surface at regular use

Weed brush WKB 550 (Draht)



- working width: 550 mm
- stable wire braids remove moss and strong greens effectively
- manual arm 180 ° from left to right swiveling

Axial sweeper AX 1200



- overhead sweeping principle with oscillating suspended sweeping roller
- leading roll-off lip pushes the dirt to the brush
- expandable with up to two side brushes for sweeping flush to the wall
- pitching left / right possible: only with raised foam roller!

Feed auger FA 800



- working width: 800 mm
- open windings loosen and evaluate this feed and return to the animal
- additional side brush available

Spreader EG 540



- high-quality, robust guide wheels
- flexible spreading paddles convey the spreading material out
- Self-filling by tipping down the front shovel

more mounting options →

# ATTACHING MACHINES FOR CLEANMELEON 2 PRO

Lime and feed spreader



- ideal for evenly spreading lime
- can also be used as a concentrate feeder
- with dosing opening in the manually swiveling ejector

Scraper ASS 800 / ASS 900



- working width: 800 or 900 mm
- C-shaped front doesn't let mess drift away
- also additional side brush available for cleaning the lying areas

Washer SW 900



- working width: 900 mm
- including 150 l water canister, filter, high pressure pump, clearing stars,
- accessories: adapters for high-pressure nozzle

Pushing shield 80 - 160



- perfect for narrow passages
- working width is flexible adjustable from 80 to 160 cm via perforated strip

Snow plough 1600



- working width: 1600 mm with robust protective edge
- swiveling left and right
- suitable for dirt and snow sliding